



HEBEI MINGYANG INTELLIGENT EQUIPMENT CO.,LTD.

Customer First! Quality First! Service First!

CNC VERTICAL GABION MESH MACHINE



We have achieved the ability to adjust the equipment in any operating state at any position during the operation of the equipment, and have achieved the arbitrary switching of the two rotation states of intermittent rotation and continuous rotation (long and short) of the thorn shaft.

Our equipment refuses to use the cumbersome electronic cam programming of the debugging process, and has achieved the arbitrary switching of the two rotation states of intermittent rotation and continuous rotation (long and short) of the thorn shaft.

Our invention patented integrated double rack design takes up less space during rack movement, has a more streamlined structure, and is safer and more stable.

Fully enclosed lubricating oil tanks are designed on both sides of the equipment, and the timed circulation lubrication method is adopted to fully lubricate the motion mechanism while also having a certain cleaning function. Prevent dust and impurities from entering the operating mechanism and causing damage.

1. All use servo motors as power sources; debugging is easier

2. Better mechanical structure design, higher processing accuracy, faster weaving speed



3. Double rack design at front and rear, both racks are powered.

4. PLC has built-in double twist data, three twists, five twists, seven twists can be switched with one key





HEBEI MINGYANG INTELLIGENT EQUIPMENT CO.,LTD.

Customer First! Quality First! Service First!

Technical Parameter:



CNC VERTICAL GABION MESH MACHINE (host parameters)				
Mesh size (mm)	Mesh width (mm)	Wire diameter (mm)	Number of Twists	Motor (kw)
50*70	5600 (Can be customized)	2.0-4.0mm	3/5/7	33-45
60*80				
70*90				
80*100				
/				
Can be customized				



HEBEI MINGYANG INTELLIGENT EQUIPMENT CO.,LTD.

Customer First! Quality First! Service First!

MINGYANG CNC VERTICAL GABION MESH MACHIN

Other companies'

Adjust equipment at any location and in any operating state

Need to return to the origin

The lubricating oil tank adopts timed circulation lubrication

Manual refueling

3-twist 5-twist one-button switch

Single twist number

Patented integrated double rack design

Single rack

Low noise

Loud noise

Thick wire can be woven

Only thin wire can be woven

Exclusive design program

High imitation version

Old manufacturers are more professional

Blindly follow the trend

The MAX. width can be 5.6m

Width be 5.4m or below

Main machine weight exceeds 18 tons

Lightweight

The core components are processed by ourselves, the source

Assembly of purchased parts

Control quality

Poor quality



明阳机械MINGYANG

HEBEI MINGYANG INTELLIGENT EQUIPMENT CO., LTD.

ADD:YOUWEI,LIQINGU TOWN, DINGZHOU CITY, HEBEI PROVINCE, CHINA

TEL:0312-27266661563215971013513436858

WEB:www.mywiremeshmachine.com



WeChat



WhatsApp



EBEI MINGYANG INTELLIGENT EQUIPMENT CO.,LTD.

Customer First! Quality First! Service First!



明阳机械MINGYANG

HEBEI MINGYANG INTELLIGENT EQUIPMENT CO., LTD.

ADD:YOUWEI,LIQINGU TOWN, DINGZHOU CITY, HEBEI PROVINCE, CHINA

TEL:0312-27266661563215971013513436858

WEB:www.mywiremeshmachine.com



WeChat



WhatsApp