




01.

## Derrick FLC 2000/48-30 PWP

### Shaker Screen Replacement






### Compatible shale shakers

- Derrick FLC (Flo-Line Cleaner) 2000 3-panel shaker.
- Derrick FLC (Flo-Line Cleaner) 2000 4-panel shaker.
- Derrick FLC (Flo-Line Cleaner) 2000 series mud cleaners.
- Derrick FLC Plus, FLC with AWD, HI-G dryer.

# TECHNICAL DATA


- **Model No.:** FT-PWP 2000.
- **Material:** Stainless steel 304/316/316 L.
- **Construction Type:** PWP (perforated wear plate).
- **Perforated Mesh Shape:** Rectangle/hexagonal.
- **Standard:** API RP 13C.
- **API RP 13C Designation:** API 120 - API 400.
- **Series:** DX, DF, HP optional.
- **Warranty Period:** 1 year.
- **Working Life:** 240-360 HOURS
- **Size:** 1053\*697 MM



DETAILED PHOTO



## FT-PWP 2000-A325



## Technical Data

Screen Designation	Mesh Type	API RP 13C Designation	Conductance Number	D100 Separation (microns)	Non-Blank Area (sq.ft)
FT-PWP 2000-A325	DF	API 325	0.31	46	5.5
FT-PWP 2000-A270	DF	API 270	0.42	53	5.5
FT-PWP 2000-A230	DF	API 230	0.66	65	5.5
FT-PWP 2000-A200	DX	API 200	0.95	77	5.5
FT-PWP 2000-A170	DX	API 170	1.03	86	5.5
FT-PWP 2000-A140	DX	API 140	1.75	103	5.5
FT-PWP 2000-A120	DX	API 120	1.73	126	5.5
FT-PWP 2000-A100	DX	API 100	1.93	153	5.5
FT-PWP 2000-A80	DX	API 80	2.49	176	5.5
FT-PWP 2000-A70	DX	API 70	2.98	211	5.5
FT-PWP 2000-A60	DX	API 60	3.76	256	5.5
FT-PWP 2000-A50	DX	API 50	4.63	289	5.5
FT-PWP 2000-A40	DX	API 40	7.31	452	5.5
FT-PWP 2000-A35	DX	API 35	8.36	516	5.5
FT-PWP 2000-A20	DF	API 20	13.11	876	5.5

\* D100: Particles this size and larger will normally be discarded.

\* API: Corresponding API sieve equivalent as per API RP 13C.

\* Conductance No.: This represents the ease with which a liquid can flow through the screen. Larger values represent higher volume handling.