


12.

Brandt BLT-50/LCM-2D

Shaker Screen Replacement






Compatible shale shakers

- Brandt BLT-50/LCM-2D shale shaker.




Technical Data

- **Model No.:** FT-LCM-2D
- **Material:** stainless steel 304/316/316 L.
- **Body Material:** Q235 steel.
- **Standard:** API RP 13C.
- **API RP 13C Designation:** API 60 – API 325.
- **Series:** XR, XL optional.
- **Warranty Period:** 1 year.
- **Working Life:** 240–360 hours.





FT-LCM-2D-A325



Technical Data

Screen Designation	Mesh Type	API RP 13C Designation	Conductance Number	D100 Separation (microns)	Non-Blank Area (sq.ft)
FT-LCM-2D-A325	XR/XL	API 325	0.40	43	8.7
FT-LCM-2D-A200	XR/XL	API 200	0.58	72.3	8.7
FT-LCM-2D-A170	XR/XL	API 170	0.71	97.6	8.7
FT-LCM-2D-A140	XR/XL	API 140	1.12	103	8.7
FT-LCM-2D-A120	XR/XL	API 120	1.56	120	8.7
FT-LCM-2D-A100	XR/XL	API 100	2.04	145	8.7
FT-LCM-2D-A80	XR/XL	API 80	2.36	196	8.7
FT-LCM-2D-A70	XR/XL	API 70	2.83	221	8.7
FT-LCM-2D-A60	XR/XL	API 60	3.09	267	8.7

* D100: Particles this size and larger will normally be discarded.

* API: Corresponding API sieve equivalent as per API RP 13C.

* Conductance No.: This represents the ease with which a liquid can flow through the screen. Larger values represent higher volume handling.