




13. Brandt King Cobra/Hybrid Shaker Screen Replacement






Compatible shale shakers

- Brandt King Cobra/Hybrid shale shaker.


Technical Data

- **Model No.:** FT-KC/Hybrid.
 - **Material:** stainless steel 304/316/316 L.
 - **Frame Material:** Q235 steel/composite.
 - **Standard:** API RP 13C.
 - **API RP 13C Designation:** API 120 - API 325.
 - **Series:** XR, XL optional.
 - **Warranty Period:** 1 year.
 - **Working Life:** 240-360 hours.
-
-
-
-
-
-





FT-KC/HYBRID-A325



Technical Data

Screen Designation	Mesh Type	API RP 13C Designation	Conductance Number	D100 Separation (microns)	Non-Blank Area (sq.ft)
FT-KC/Hybrid-A325	XR/XL	API 325	0.32	43	6.03
FT -KC/Hybrid-A270	XR/XL	API 270	0.44	55	6.03
FT -KC/Hybrid-A230	XR/XL	API 230	0.41	62	6.03
FT -KC/Hybrid-A200	XR/XL	API 200	0.61	75	6.03
FT -KC/Hybrid-A170	XR/XL	API 170	1.06	82	6.03
FT -KC/Hybrid-A140	XR/XL	API 140	1.03	110	6.03
FT -KC/Hybrid-A120	XR/XL	API 120	1.42	139	6.03
FT -KC/Hybrid-A100	XR/XL	API 100	1.68	163	6.03
FT -KC/Hybrid-A80	XR/XL	API 80	2.38	190	6.03
FT -KC/Hybrid-A70	XR/XL	API 70	2.79	223	6.03
FT-KC/Hybrid-A60	XR/XL	API 60	3.36	273	6.03
FT-KC/Hybrid-A50	XL	API 50	4.93	296	6.03
FT -KC/Hybrid-A35	XL	API 35	9.16	536	6.03
FT -KC/Hybrid-A20	XL	API 20	11.72	782	6.03

* D100: Particles this size and larger will normally be discarded.

* API: Corresponding API sieve equivalent as per API RP 13C.

* Conductance No.: This represents the ease with which a liquid can flow through the screen. Larger values represent higher volume handling.