




15. Nov Brandt Multi Sizer Screen



Compatible Shale Shakers: VSM Multi-Sizer Separator

Technical Data

- **Model No.:** FT-VSM Multi
- **Material:** stainless steel 304/316/316 L.
- **Frame Material:** Q235 steel.
- **Standard:** API RP 13C.
- **API RP 13C Designation:** API 20 – API 325.
- **Series:** XR, XL optional.
- **Warranty Period:** 1 year.
- **Working Life:** 240-360 hours.



Front Side



Steel Back Supporting



Back Side



SS 316/304 Steel mesh



FT-VSM MULT-A325

• API mesh designation

• Fit shaker model: Brandt VSM Multi-Sizer Separator

• Replacement screens made by FANGTE

Technical Data

Screen Designation	Mesh Type	API RP 13C Designation	Conductance Number	D100 Separation (microns)	Non-Blank Area (sq.ft)
FT-D380-A325	XL	API 325	0.38	46	4.6
FT-D380-A270	XR	API 270	0.63	61	4.6
FT-D380-A230	XR	API 230	0.68	72	4.6
FT-D380-A200	XR	API 200	1.24	78	4.6
FT-D380-A170	XR	API 170	1.25	85	4.6
FT-D380-A140	XR	API 140	1.81	106	4.6
FT-D380-120	XR	API 120	1.80	142	4.6
FT-D380-A100	XR	API 100	2.58	166	4.6
FT-D380-A80	XR	API 80	2.66	198	4.6
FT-D380-A70	XR	API 70	3.26	209	4.6
FT-D380-A60	XR	API 60	4.00	277	4.6
FT-D380-A50	XR	API 50	5.13	301	4.6
FT-D380-A40	XR	API 40	8.61	448	4.6
FT-D380-A35	XR	API 35	9.7	539	4.6
FT-D380-A20	XR	API 20	10.74	799	4.6

* D100: Particles this size and larger will normally be discarded.

* API: Corresponding API sieve equivalent as per API RP 13C.

* Conductance No.: This represents the ease with which a liquid can flow through the screen. Larger values represent higher volume handling.