

18.

SWACO MAMUT

Shaker Screen Replacement




Compatible shale shakers

- M-I SWACO MAMUT shale shaker.




Technical Data

- **Model No.:** FT-MAMUT.
- **Material:** Stainless steel 304/316/316 L.
- **Frame Material:** Composite.
- **Standard:** API RP 13C.
- **API RP 13C Designation:** API 20 - API 325.
- **Series:** XL, XR.
- **Warranty Period:** 1 year.
- **Working Life:** 240-360 hours.





FT-MAMUT-A325



Technical Data

Screen Designation	Mesh Type	API RP 13C Designation	Conductance Number	D100 Separation (microns)	Non-Blank Area (sq.ft)
FT-MAMUT-A325	XR	API 325	0.40	43	5.5
FT-MAMUT-A270	XR	API 270	0.67	56	5.5
FT-MAMUT-A230	XR	API 230	0.73	67	5.5
FT-MAMUT-A200	XR	API 200	1.34	72.3	5.5
FT-MAMUT-A170	XR	API 170	1.35	84.4	5.5
FT-MAMUT-A140	XR	API 140	1.91	103	5.5
FT-MAMUT-120	XR	API 120	1.92	133	5.5
FT-MAMUT-A100	XR	API 100	2.66	162	5.5
FT-MAMUT-A80	XR	API 80	2.78	191.5	5.5
FT-MAMUT-A70	XR	API 70	3.35	202	5.5
FT-MAMUT-A60	XR	API 60	4.21	267	5.5
FT-MAMUT-A50	XR	API 50	5.10	284	5.5
FT-MAMUT-A40	XR	API 40	8.64	438	5.5
FT-MAMUT-A35	XR	API 35	9.73	537	5.5
FT-MAMUT-A20	XR	API 20	10.69	810	5.5

* D100: Particles this size and larger will normally be discarded.

* API: Corresponding API sieve equivalent as per API RP 13C.

* Conductance No.: This represents the ease with which a liquid can flow through the screen. Larger values represent higher volume handling.