


**02.****Derrick FLC 2000/48-30 PMD**

## Shaker Screen Replacement


**Compatible shale shakers**

- Derrick FLC (Flo-Line Cleaner) 2000 3-panel shaker.
- Derrick FLC (Flo-Line Cleaner) 2000 4-panel shaker.
- Derrick FLC (Flo-Line Cleaner) 2000 series mud cleaners.
- Derrick FLC Plus, FLC with AWD, HI-G dryer.





## Technical Data


- **Model No.:** FT-PMD 2000.
- **Material:**Stainless steel 304/316/316 L.
- **Construction Type:** PMD (pyramid).
- **Perforated Mesh Shape:**Rectangle.
- **Standard:** API RP 13C.
- **API RP 13C Designation:** API 120 - API 325.
- **Series:** DX, DF, HP optional.
- **Warranty Period:** 1 year.



Front Side



Back Side





## FT-PWP 2000-A325



## Performance Data

Screen Designation	Mesh Type	API RP 13C Designation	Conductance Number	D100 Separation (microns)	Non-Blank Area (sq.ft)
FT-PMD 2000-A325	DF	API 325	0.38	46	8.5
FT-PMD 2000-A270	DF	API 270	0.7	53	8.5
FT-PMD 2000-A230	DF	API 230	0.74	65	8.5
FT-PMD 2000-A200	DX	API 200	1.35	77	8.5
FT-PMD 2000-A170	DX	API 170	1.37	86	8.5
FT-PMD 2000-A140	DX	API 140	1.92	103	8.5
FT-PMD 2000-A120	DX	API 120	1.92	126	8.5
FT-PMD 2000-A100	DX	API 100	2.69	153	8.5
FT-PMD 2000-A80	DX	API 80	2.79	176	8.5
FT-PMD 2000-A70	DX	API 70	3.36	211	8.5
FT-PMD 2000-A60	DX	API 60	4.13	256	8.5
FT-PMD 2000-A50	DX	API 50	5.2	289	8.5
FT-PMD 2000-A40	DX	API 40	8.67	452	8.5
FT-PMD 2000-A35	DX	API 35	9.72	516	8.5
FT-PMD 2000-A20	DF	API 20	10.91	876	8.5

\* **D100:** Particles this size and larger will normally be discarded.

\* **API:** Corresponding API sieve equivalent as per API RP 13C.

\* **Conductance No.:** This represents the ease with which a liquid can flow through the screen. Larger values represent higher volume handling.