




## 05. Derrick DP 600 Series PMD Shaker Screen Replacement



### Compatible shale shakers


- Derrick DP (Dual Pool) 626 shaker.
- Derrick DP (Dual Pool) 616 shaker.
- Derrick DP (Dual Pool) 628 shaker.
- Derrick DP (Dual Pool) 618 shaker.
- Derrick DP (Dual Pool) 626 VE (Vapor Extraction).
- Derrick DP (Dual Pool) 616 VE (Vapor Extraction).
- Derrick DP (Dual Pool) 628 VE (Vapor Extraction).
- Derrick DP (Dual Pool) 618 VE (Vapor Extraction).

# Technical Data


- **Model No.:** FT-PMD DP 600.
- **Material:** Stainless steel 304/316/316 L.
- **Body Material:** Stainless steel plate.
- **Construction Type:** PMD (pyramid).
- **Perforated Mesh Shape:** Rectangle.
- **Standard:** API RP 13C.
- **API RP 13C Designation:** API 20 – API 325.
- **Series:** DX, DF, HP optional.
- **Warranty Period:** 1 year.
- **Working Life:** 240-360 hours.




Front Side




Primary Structure



Handy Handle for Convenient Operation




Back Side



Rectangular Perforated Wear Plate



## FT-PMD DP 600-A325



## Technical Data

Screen Designation	Mesh Type	API RP 13C Designation	Conductance Number	D100 Separation (microns)	Non-Blank Area (sq.ft)
FT-PMD DP 600-A200	DX	API 200	0.96	80	1.83
FT-PMD DP 600-A170	DX	API 170	1.37	99	1.83
FT-PMD DP 600-A140	DX	API 140	1.93	117	1.83
FT-PMD DP 600-A120	DX	API 120	1.93	122	1.83
FT-PMD DP 600-A100	DX	API 100	2.34	156	1.83
FT-PMD DP 600-A80	DX	API 80	3.1	186	1.83
FT-PMD DP 600-A70	DX	API 70	3.81	223	1.83
FT-PMD DP 600-A60	DX	API 60	4.69	259	1.83
FT-PMD DP 600-A50	DX	API 50	5.51	316	1.83
FT-PMD DP 600-A45	DX	API 45	5.85	362	1.83
FT-PMD DP 600-A40	DX	API 40	6.6	455	1.83
FT-PMD DP 600-A35	DX	API 35	7.07	505	1.83
FT-PMD DP 600-A325	DF	API 325	0.39	46	1.83
FT-PMD DP 600-A270	DF	API 270	0.45	55	1.83
FT-PMD DP 600-A230	DF	API 230	0.72	69	1.83
FT-PMD DP 600-A20	DF	API 20	0.94	823	1.83