



19.

## SWACO ALS-2

### Shaker Screen Replacement



### Compatible shale shakers

- SWACO ALS-2 shale shaker.

## Technical Data

● **Model No.:** FT-ALS-2.

● **Material:** Stainless steel 304/316/316 L.

● **Frame Material:** Q235 steel.


● **Standard:** API RP 13C.

● **API RP 13C Designation:** API 18 - API 325.

● **Series:** XL, XR.

● **Warranty Period:** 1 year.

● **Working Life:** 240-360 hours.





## FT-ALS-2-A325



## Technical Data

Screen Designation	Mesh Type	API RP 13C Designation	Conductance Number	D100 Separation (microns)	Non-Blank Area (sq.ft)
FT-ALS-2-A325	XL	API 325	0.37	43.2	5.8
FT-ALS-2-A270	XL/XR	API 270	0.49	59	5.8
FT-ALS-2-A200	XL/XR	API 200	0.81	82	5.8
FT-ALS-2-A170	XL/XR	API 170	1.02	91	5.8
FT-ALS-2-A140	XL/XR	API 140	1.26	105	5.8
FT-ALS-2-A120	XL/XR	API 120	1.49	134	5.8
FT-ALS-2-A100	XL/XR	API 100	1.56	144	5.8
FT-ALS-2-A80	XL/XR	API 80	2.16	187	5.8
FT-ALS-2-A70	XL/XR	API 70	2.86	224	5.8
FT-ALS-2-A60	XL/XR	API 60	3.36	278	5.8
FT-ALS-2-A50	XL	API 50	5.13	316	5.8
FT-ALS-2-A35	XL	API 35	9.18	539	5.8
FT-ALS-2-A20	XL	API 20	9.72	545	5.8
FT-ALS-2-A18	XL	API 18	15.90	923	5.8

\* D100: Particles this size and larger will normally be discarded.

\* API: Corresponding API sieve equivalent as per API RP 13C.

\* Conductance No.: This represents the ease with which a liquid can flow through the screen. Larger values represent higher volume handling.